



TECHNICAL SHEET

 **score II**



score II: Primary Mobile Bearing Total Knee Prosthesis



- ▷ SCORE II Total Knee Prosthesis without PCL conservation
- ▷ Sagittal and frontal congruency
- ▷ Rotative mobility of the tibial insert
- ▷ Cemented and cementless version
- ▷ 8 sizes for femoral and tibial components in CoCr alloy
- ▷ 2 stabilisation pegs:
 - Ø8 mm, length 13 mm
 - No HAP coating for cementless component

score II: Primary Mobile Bearing Total Knee Prosthesis

- ▷ The SCORE II prosthesis is compatible with the following patellar implants:
 - Resurfacing patellar implant cemented
 - Inset patellar implant cemented/cementless

- ▷ All resurfacing patellar implant cemented and inset patellar implant cemented are compatible with all sizes of SCORE II femoral components.

- ▷ The SCORE II prosthesis is compatible with native patella conservation.

**Resurfacing patellar implant
cemented**



| Name | References |
|---|------------------------|
| SCORE II Femoral Component – Cemented - Size 0 to Size 8 RIGHT | 1-0205200 to 1-0205208 |
| SCORE II Femoral Component – Cemented - Size 0 to Size 8 LEFT | 1-0205300 to 1-0205308 |
| SCORE II Femoral Component – HA Coated Cementless - Size 0 to Size 8 RIGHT | 1-0205400 to 1-0205408 |
| SCORE II Femoral Component – HA Coated Cementless - Size 0 to Size 8 LEFT | 1-0205500 to 1-0205508 |
| SCORE II mobile bearing insert - Size 0 to 8 thickness 10 mm | 1-0205610 to 1-0205618 |
| SCORE II mobile bearing insert - Size 0 to 8 thickness 11 mm | 1-0205660 to 1-0205668 |
| SCORE II mobile bearing insert - Size 0 to 8 thickness 12 mm | 1-0205620 to 1-0205628 |
| SCORE II mobile bearing insert - Size 0 to 8 thickness 14 mm | 1-0205630 to 1-0205638 |
| SCORE II mobile bearing insert - Size 0 to 8 thickness 16 mm | 1-0205640 to 1-0205648 |
| SCORE II mobile bearing insert - Size 0 to 8 thickness 20 mm | 1-0205650 to 1-0205658 |
| SCORE Tibial base plate for mobile bearing insert - cemented - Size 0 to Size 8 | 1-0200500 to 1-0200508 |
| SCORE Tibial base plate for mobile bearing insert - HA coated - Cementless - Size 0 to Size 8 | 1-0200400 to 1-0200408 |

Service Clients – France :

Porte du Grand Lyon,
 01700 Neyron – France
 Tél. : **+33 (0)4 37 85 19 19**
 Fax : +33 (0)4 37 85 19 18
 E-mail : amplitude@amplitude-ortho.com

Customer Service – Export :

11, cours Jacques Offenbach,
 ZA Mozart 2,
 26000 Valence – France
 Tél. : **+33 (0)4 75 41 87 41**
 Fax : +33 (0)4 75 41 87 42